

Test Code Sheet Number	2	2	1	3	11
---------------------------------------	----------	----------	----------	----------	-----------

TEST CODE SHEET

1. **TYPE OF TEST(S)**

Visual inspection - check valve operation.

2. **WATER REGULATIONS REQUIREMENTS FOR FITTINGS**

Schedule 2

15-(1) every water system shall contain an adequate device or devices for preventing backflow of fluid from any appliance, fitting or process from occurring.

3. **BRITISH STANDARDS OR WATER SPECIFICATION, DEEMED TO SATISFY WATER REGULATIONS REQUIREMENTS**

3.1 Fittings with 'kitemarks' which are deemed to satisfy the requirements of regulations are listed in the directory.

4. **TEST PROCEDURE**

4.1 Tests applicable to the following:-

REDUCED PRESSURE ZONE (RPZ) VALVE BA
DN8 to DN250.
Devices for the prevention of contamination by backflow.

(A) **REDUCED PRESSURE ZONE (RPZ) VALVE BA** (Derived from ASSE 1013. Clause 3.5)
DN8 to DN250.

TEST METHOD

APPARATUS The following apparatus is required.

Visual examination with the naked eye.

PROCEDURE The procedure shall be as follows:-

(1) Visually examine the movement of the first and second check valves through the full limit of their travel.

5. **ACCEPTANCE CRITERIA**

The operation of each individual check valve through its full range of travel shall not bring about any physical contact between the two check valve cartridge components.